



2 zones for red
and white wine



5 - 20 °C /
41 - 68 °F



For every 178
niche height!



CASO WINE CONTROL APP
via Wi-Fi Smart Control

- Perfect temperature control from almost everywhere
- App development Made in Germany
- Monitors + reports any error messages to your smartphone in seconds
- Light controllable from almost everywhere
- For Android and iOS



Handleless door control
(Push-to-open + soft-close)

Product data

Art. No.	7716
EAN	4038437077162
Measures (WxHxD)	595 x 1790 x 575 mm
Weight	95 kg
Power	120 Watt
Voltage	220-240V/50-60Hz
dB(A)	38
Certification	CE, GS
Packing unit	1

BUILT-IN DESIGN WINE COOLER WITH COMPRESSOR TECHNOLOGY

WineDeluxe WD 96

- + **Built-in designer wine cooler for storage of up to 96 bottles (up to 76 mm Ø)**
- + **Via the integrated Wi-Fi module with the CASO app Controllable from anywhere**
- + For every 178 niche height
- + **Handleless Push-to-open door**
- + **Soft-close Hettich hinges for quiet and smooth closing**
- + Smooth-running compressor ensures gentle, vibration-free wine storage
- + Two temperature zones* can be set to 5 - 20 °C (41 - 68 °F)**
- + using electronic controls
- + Active ventilation for even temperature distribution
- + **3-layer insulated glass with UV filter for optimum aroma protection**
- + Door alarm warns of temperature loss due to open door
- + Sensor touch display for both areas
- + LED temperature display of each cooling area
- + The switchable white ambient LED strips on the sides can be set to 4 light intensity levels
 - Level 1 (25%), Level 2 (50%), Level 3 (75%) and Level 4 (100%)
- + Easy removal of wine bottles thanks to wooden storage shelves with integrated telescopic rails
- + Incl. metal rack for bottle presentation
- + Active carbon filter for best air quality
- + Door can be fitted to open to the left or right



* Cascade control (the upper zone must be colder than the lower zone or equal)

** The temperature which can be achieved inside the fridge will not exceed the ambient temperature in the room in which it is installed

TECHNICAL DRAWINGS WINEDELUXE WD 96

Option 1:



Standard
(Up to 96 bottles)



max. bottle length
top: 365 mm
bottom 315 mm
1.3 cm above edge


Option 2:

With presentation
rack (Up to 90
bottles)



When it is time to display the bottle, you need to take out the upper shelf first, insert the metal bracket into the mounting hole of the shelf, and then lean the bottle against the bracket. Because both sides of the bottle will touch the upper guide rail, all can only be placed flat. The presentation rack is included in the scope of delivery.

TECHNICAL DRAWINGS WINEDELUXE WD 96



*The installation height can be increased by the adjustable feet up to 1785 mm.